

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	1	numerical adj control and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm) and data near frame same embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:18
L5	11	numerical adj control and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm) and data near frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:18
L4	52	numerical adj control and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm) and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:18
L3	84	numerical adj control and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:18
L2	142	numerical adj control and serial near communicat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:18
L1	131	numerical adj control and serial near communicat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 16:18
L10	5	numerical adj control and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm) and count\$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:22

L9	27	numerical adj control and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm) and count\$4 with receiv\$4 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:22
L8	35	numerical adj control and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm) and count\$4 with receiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:22
L7	62	numerical adj control and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm) and count\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:22
L11	3	"700"/\$.ccls. and (master with slave master with client) and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm) and count\$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:47
L13	10	"710"/\$.ccls. and (master with slave master with client) and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm malfunction) and count \$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:49
L12	3	"700"/\$.ccls. and (master with slave master with client) and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm malfunction) and count \$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:49

L14	3	"340"/\$.ccls. and (master with slave master with client) and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm malfunction) and count \$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:52
L15	3	"709"/\$.ccls. and (master with slave master with client) and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm malfunction) and count \$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:53
L19	1	"710"/12.ccls. and (master with slave master with client) and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm) and count\$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:55
L18	1	"710"/10.ccls. and (master with slave master with client) and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm) and count\$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:55
L17	0	"700"/100.ccls. and (master with slave master with client) and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm) and count\$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:55

L16	1	"700"/9.ccls. and (master with slave master with client) and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm) and count\$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:55
L21	0	"340"/3.2.ccls. and (master with slave master with client) and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm malfunction) and count \$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:56
L20	0	"340"/3.1.ccls. and (master with slave master with client) and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm malfunction) and count \$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:56
L23	1	"709"/238.ccls. and (master with slave master with client) and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm malfunction) and count \$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:57
L22	2	"709"/208.ccls. and (master with slave master with client) and serial near communicat\$4 and (emergency cut\$4 adj off stop\$4 alarm malfunction) and count \$4 with receiv\$4 with data same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 16:57

L27	6	(Aoki near Satoshi).in. and embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 17:01
L26	2	(Aoki near Satoshi).in. and serial near2 communication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 17:01
L25	2	(Aoki near Satoshi).in. and serial adj communication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 17:01
L24	326	(Aoki near Satoshi).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 17:01
L28	2	(Sano near Syuya).in. and embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/11 17:02

4/ 11/ 2009 5:03:30 PM

C:\ Documents and Settings\ schang\ Desktop\ ShortCuts\ 10,5xx,xxx\ 10,567,460  
 \ 10,567,460.wsp